


Connection Frame Number (CFN)

TFI or TFCI

Spare

Spare Extension

FIG. 2



= Transport bearer

= Scheduled data to be transported on a dedicated physical channel + TFI1


..... Non-scheduled data to be transported on a shared physical channel

= Scheduled data to be transported on a dedicated physical channel + TFI1 + TFCI2

= Scheduled data to be transported on a shared physical channel + TFI2

→ = Dedicated physical channel transporting: scheduled data + TFCI1 + TFCI2

→ = Shared physical channel transporting: scheduled data



= Transport bearer

= Scheduled data to be transported on a dedicated physical channel + TFI1

= TFC12 control info

- Scheduled data to be transported on a shared physical channel + TFI2

■ ⇒ = Dedicated physical channel transporting: scheduled data + TFCl1 + TFCl2

→ = Shared physical channel transporting: scheduled data





FIG. 5

FIG. 6

ALCAP: establishment of TFC12 transport bearer

FIG. 7



= Transport bearer

= Scheduled data to be transported on a dedicated physical channel + TFI1

· ◆ = Non-scheduled data to be transported on a shared physical channel

► = TFC12 control info

■ Scheduled data to be transported on a shared physical channel + TFI2

= Dedicated physical channel transporting: scheduled data + TFCI1 + TFCI2

- 🔰 = Shared physical channel transporting: scheduled data